Decreasing Your Maintenance Costs with MDaaS

October 20, 2022

Erik Klein – Functional Consulting Team Lead, MDaaS
Jon-Luc Kelly – Functional Consultant, Asset Master Data Practice



Agenda

- Prometheus Group
- Master Data as a Service (MDaaS)
- Example Record
- Demonstration of MDaaS



Prometheus Group



Prometheus Group

- Founded in 1998
- Headquartered in Raleigh, NC, USA
- 21 global offices
- Integrated and intuitive software
- Partnerships with industry leading companies







TOP 10 Oil & Gas

TOP 8 Mining & Metals

TOP 8 Pulp & Paper

TOP 8 Utilities



TOP 6 Chemical


SAP[®] Certified ntegration with SAPS/4HANA






4

The Prometheus Platform



The Prometheus Platform



Key Customers



Master Data as a Service Explained




Master Data as a Service (MDaaS)

- Web-based software offering an end-to-end solution for master data quality, governance and ongoing sustainment.
- MDaaS leverages our extensive database of standards
 - Establishes standard taxonomies based on internationally recognized standards
 - Classes & Characteristics
 - Catalog profiles
 - Short and Long text descriptions
 - Characteristic values
 - Translations
- Included Data Governance Module
 - Configurable workflow
 - Web-based Customer interface

Master Data Objects Covered by MDaaS









EAM

- Functional Locations
- Equipment Masters
- Bills of Material
- Maintenance Plans
- Task Lists
- Work Centers
- Measuring Points
- Service Masters

Supply Chain

- Material Masters
- Bill of Materials

Business Partner

- Customer Master
- Vendor Master

Finance

• Fixed Asset

Master Data as a Service (MDaaS)



MDaaS CAPTURE

Mobile app for photo-based field data collection

Intelligent image processing and data extraction

Crowd and Al-based data enrichment



MDaaS ENRICH

Standards-centric classification

Drawing and manufacturer's website-based data mining

Machine learning-based data cleansing & enrichment



MDaaS MIGRATE

Auditable file comparison and tracking

Integrates with commercial ETLs

Supports all major ERPs



MDaaS SUSTAIN

Master Data Management best practice templates

Workflow-driven review & approval

Automated business rules for data validation

11

MDaaS Automated Materials Data Enrichment Process

INPUT DATA	CLEANSED DATA	CLEANSED, STANDARDIZED AND CONSOLIDATED DATA	ENRICHED DATA
BALL BEARING 15x35x11	BALL BEARING, 15MM,35MM,11MM		
BALL BRG 15 X35 X11 MM	BALL BEARING, 15MM,35MM,11MM		BEARING,BALL;DEEP GROOVE,15 MM ID,35 MM OD,11 MM W,6200 SERIES,1 ROW,1 SHIELD,
BALL BEARING Ø15X11X35 MM	BALL BEARING, 15MM,35MM,11MM	BEARING,BALL, 15 MM,35 MM,11 MM	STEEL,PRESSED CAGE,2 DEG MISALIGNMENT,8.06 KN DYNAMIC,3.75 KN STATIC
15X11X35 BEARING BALL	15MM,35MM,11MM,BEARING BALL		
CARTRIDGE FUSE FAST ACTING 600 VAC 30 A	CARTRIDGE FUSE, FAST ACTING, 600 VAC, 30 A		
CARTRIDGE FUSES FAST ACTING 600 VAC 30 AMPERE	CARTRIDGE FUSE, FAST ACTING, 600 VAC, 30 A		FUSE,CARTRIDGE;FAST ACTING,600 VAC,30 A,200
FAST ACTING CARTRIDGE FUSES 600 VAC 30 AMP	FAST ACTING CARTRIDGE FUSE, 600 VAC, 30 A	FUSE,CARTRIDGE, FAST ACTING,600 VAC,30 A	KA,END CAP,NICKEL PLATED BRASS,MELAMINE TUBE,CSA
CARTRIDGE FUSES 600 VAC 30 AMPERE, FAST ACTING	CARTRIDGE FUSE, 600 VAC, 30 A, FAST ACTING		
45 DEG ELBOW PIPE ADTPTR	45 DEG, ELBOW, PIPE, ADAPTER		
1-1/2 INCH X 45 DEGREE PIPE ELBOW	1-1/2 IN, 45 DEG, PIPE, ELBOW	FLBOW DIDE ADAPTER 45 DEG 1-1/2 IN PSI,CARBON	ELBOW, PIPE; ADAPTER, 45 DEG, 1-1/2 IN, SCH 40, 200 PSI, CARBON STEEL, BLACK OXIDE, ASTM A106, 1-1/2 IN NPS X 1-1/2 IN NPS, 1.94 IN CENTER TO END
pipe elbow 45° 1 1/2″ n° 45	PIPE, ELBOW, 45 DEG, 1-1/2 IN]	DISTANCE
45° 1 1/2″pipe elb	45 DEG, 1-1/2 IN, PIPE, ELBOW		
BUSH T BUSHG 1-5/8"	BUSH TAPE CLEANSE	CONSOLIDATE	1/2 IN L,3/8 X 1/8 IN KE WA LOCK SCREW,
TORQUE 4300 LB-IN TAPER BUSHING LOCK	TORQUE 4300 LB-IN, TAPER BUSHING, LOCK		

Examples of MDaaS



Raw Data Provided to for MDaaS

Item Number 0101030348	
	439569, ACTUATOR, PNEUMATIC,
Item Description	MODEL LT-A-101, LP-A-101, LVS
Vendor Item Number	439569
Vendor Currency	CAD
Vendor Contact	
Vendor Contract Refrence	BISON - PRICE AGREEMENT JUL. 8/21
Vendor Location	CANADIAN VENDOR-OUTSIDE SASK.
Quantity on Hand	1
Quantiy in Stock	Yes



End Result: Fully Cleansed/Enriched record

- Record Built to UNSPSC 31251504
- Material Descriptions Standardized
- Vendor and Manufacturer Information Added

Item Number	0101030348
	439569, ACTUATOR, PNEUMATIC,
tem Description	MODEL LT-A-101, LP-A-101, LVS
laterial Treatment Status	Enriched
ort Description	LT-A-101 Pneumatic Actuator
	Class: Actuator; Sub Class:
	Pneumatic; Type: Pneumatic
	Cylinder; Bore Size: 3.93in; Stroke:
	5.25in; Inlet Size: 8.25in; Connection Type: FTP; Rod Size: 16.5in; Material:
	Brass; Torque Rating: 12 lb-ft;
	Pressure Rating: 1800psi;
	Temperature Rating: -65F to +210F;
	Mounting Type: Tank Mounting;
ong Description	Certifications / Standard: ROHS;
INSPSC	31251504
NSPSC Description	Pneumatic Actuators
loun	Actuator
Modifier Class	Pneumatic Actuator Actuator
Sub Class	Pneumatic
Type	Pneumatic Cylinder
Bore Size	3.93in
Stroke	5.25in
Inlet Size	8.25in
Connection Type	FTP
Rod Size	16.5in
Material	Brass
Torque Rating	12 lb-ft
Pressure Rating Temperature Rating	1800psi -65F to +210F
Mounting Type	Tank Mounting
Certifications / Standard	ROHS



Demonstration



Questions?





Erik Klein - <u>edanfordklein@prometheusgroup.com</u> Jon-Luc Kelly – <u>jkelly@prometheusgroup.com</u>